ELSEVIER

Journal of Non-Crystalline Solids 235–237 (1998) 801–808

JOURNAL OF NON-CRYSTALLINE SOLIDS

Author Index

Abbès, K., G. Vigier, J.Y. Cavaillé, L. David, A. Faivre and J. Perez, Isoconfigurational state dependent molecular mobility in the glass temperature range 235–237 (1998) 286
Affouard, F., see Descamps, M. 235–237 (1998) 559
Ahluwalia, R., and S.P. Das, Shear waves in a supercooled liquid 235–237 (1998) 115
Alba-Simionesco, C., D. Morineau, B. Frick, N. Higonenq and H. Fujimori, An analysis of the short and intermediate range order in several organic glass-forming liquids from the static structure factor under pressure 235–237 (1998) 367
Alegría, A., see Bergman, R. 235–237 (1998) 580
Alegría, A., see Mukhopadhyay, R. 235–237 (1998) 233
Alegría, A., see Zorn, R. 235–237 (1998) 169
Alig, I., see Floudas, G. 235–237 (1998) 485
Alig, I., W. Jenninger and J.E.K. Schawe, Temperature modulated differential scanning calorimetry during isothermal curing of phase separating polymer networks 235–237 (1998) 504
Altube, A., see Pierna, A.R. 235–237 (1998) 796
Alvarez, F., see Bergman, R. 235–237 (1998) 580
Andersson, D., see Bergman, R. 235–237 (1998) 225
Andreozzi, L., M. Giordano and D. Leporini, Linear and non-linear electron spin resonance study of the rotational diffusion of a molecular tracer in supercooled o-terphenyl 235–237 (1998) 219
Arbe, A., see Zorn, R. 235–237 (1998) 169
Argiriadi, P., see Haralampus, N. 235–237 (1998) 428
Asano, M., see Yagihara, S. 235–237 (1998) 412
Ashmore, E., see Haralampus, N. 235–237 (1998) 428
Atvars, T.D.Z., see Vigil, M.R. 235–237 (1998) 554
Avgeropoulos, A., see Floudas, G. 235–237 (1998) 485
Axelrod, E., see Gutina, A. 235–237 (1998) 302

Bacharan, C., see Doulut, S. 235–237 (1998) 645
Barbour, J.C., see Green, P.F. 235–237 (1998) 640
Bartoš, J., and J. Krištiak, Free volume aspects of the strong–fragile classification of polymer liquids 235–237 (1998) 293
Bartoš, J., see Illeková, E. 235–237 (1998) 789
Bartolotta, A., G. Di Marco, G. Carini, G. D'Angelo, G. Tripodo, A. Fainleib and V.P. Privalko, Relaxation in semi-interpenetrating polymers network of linear polyurethane and heterocyclic polymer networks 235–237 (1998) 600
Bartolotta, A., see D'Angelo, G. 235–237 (1998) 697
Barut, G., see Pissis, P. 235–237 (1998) 444
Baselga, J., see Vigil, M.R. 235–237 (1998) 554
Beaufils, S., see Rufflé, B. 235–237 (1998) 244
Benkhof, S., see Kudlik, A. 235–237 (1998) 406
Bennington, S.M., see Kanaya, T. 235–237 (1998) 212
Bergman, R., C. Svanberg, D. Andersson, A. Brodin and L.M. Torell, Relaxational and vibrational dynamics of poly(propylene glycol) 235–237 (1998) 225
Bergman, R., F. Alvarez, A. Alegría and J. Colmenero, Dielectric relaxation in PMMA revisited 235–237 (1998) 580
Bernès, A., see Doulut, S. 235–237 (1998) 645
Bershtein, V.A., P.N. Yakushev, N.N. Peschanskaya, A.B. Sinani and P. Pissis, Segmental relaxations in complex polymer system as studied by high resolution laser-interferometric creep rate spectroscopy 235–237 (1998) 584
Bershtein, V.A., V.M. Egorov, L.M. Egorova, P. Sysel and V.N. Zgonnik, Similarity of glass transition anomalies in fullerene core polymer stars and block copolymers 235–237 (1998) 476
Binder, K., see Horbach, J. 235–237 (1998) 320
Binder, K., see Neelov, I. 235–237 (1998) 731
Blanco, M.C., see Tojo, C. 235–237 (1998) 688
Blochowicz, T., see Kudlik, A. 235–237 (1998) 406
Böhmer, R., R.V. Chamberlin, G. Diezemann, B. Geil, A. Heuer, G. Hinze, S.C. Kuebler, R. Richert, B. Schiener, H. Sillescu, H.W. Spiess, U. Tracht and M. Wilhelm, Nature of the non-exponential primary relaxation in structural glass-formers probed by dynamically selective experiments 235–237 (1998) 1
Böhmer, R., see Diezemann, G. 235–237 (1998) 121

Boiteux, G., see Okrasa, L. 235–237 (1998) 658
Bonincontro, A., see Briganti, G. 235–237 (1998) 704
Boyce, M.C., see Chui, C. 235–237 (1998) 612
Brand, R., see Schneider, U. 235–237 (1998) 173
Bravo, J., see Vigil, M.R. 235–237 (1998) 554
Briganti, G., and A. Bonincontro, Interfacial composition as a function of temperature in $C_{12}E_6$ and $C_{12}E_8$ micellar solutions 235–237 (1998) 704
Brodin, A., see Bergman, R. 235–237 (1998) 225
Brown, W., see Rizos, A.K. 235–237 (1998) 652

Calderón, F., see Fundora, A. 235–237 (1998) 567
Cantero, I., see Grande, H. 235–237 (1998) 619
Capaccioli, S., S. Corezzi, G. Gallone, P.A. Rolla, L. Comez and D. Fioretto, Dynamics of epoxies: a full dielectric analysis by wideband spectroscopy 235–237 (1998) 576
Carini, G., see Bartolotta, A. 235–237 (1998) 600
Carini, G., see D'Angelo, G. 235–237 (1998) 697
Carrizo, J., see Tejedor, M. 235–237 (1998) 793
Castro, J., A new application of the coupling model: magnetic relaxation in an assembly of small particles in interaction 235–237 (1998) 133
Cavaillé, J.Y., see Montès, H. 235–237 (1998) 416
Cavaillé, J.Y., see Abbès, K. 235–237 (1998) 286
Chadwick, A.V., see Greaves, G.N. 235–237 (1998) 766
Chamberlin, R.V., see Böhmer, R. 235–237 (1998) 1
Christensen, T., and N.B. Olsen, Thermoviscoelasticity of glass-forming liquids 235–237 (1998) 296
Chryssikos, G.D., L. Liu, C.P. Varsamis and E.I. Kamitsos, Dielectric and structural investigation of alkali triborate glasses 235–237 (1998) 761
Chu, B., see Wu, C. 235–237 (1998) 605
Chui, C., and M.C. Boyce, A control volume technique for computing continuum deformation measures in discrete polymeric systems 235–237 (1998) 612
Colmenero, J., see Bergman, R. 235–237 (1998) 580
Colmenero, J., see Mukhopadhyay, R. 235–237 (1998) 233
Colmenero, J., see Zorn, R. 235–237 (1998) 169
Comez, L., see Capaccioli, S. 235–237 (1998) 576
Comez, L., see Monaco, G. 235–237 (1998) 208
Contat-Rodrigo, L., and A. Ribes-Greus, Mechanical behaviour of biodegradable polyolefins 235–237 (1998) 670
Corezzi, S., see Capaccioli, S. 235–237 (1998) 576
Cortés, P., S. Montserrat, J. Ledru and J.M. Saiter, Enthalpy relaxation in Ge_xSe_{1-x} chalcogenide glasses 235–237 (1998) 522
Cummins, H.Z., see Hwang, Y.H. 235–237 (1998) 180
Cummins, H.Z., Y.H. Hwang, G. Li, W.M. Du, W. Losert and G.Q. Shen, Relaxation dynamics in orthoterphenyl: comparing β_K from extended mode coupling theory and phenomenological analyses 235–237 (1998) 254
Cummins, H.Z., see Singh, A.P. 235–237 (1998) 66

D'Angelo, G., G. Tripodo, G. Carini and A. Bartolotta, Fragility and low temperature excess specific heat in polymer electrolytes 235–237 (1998) 697
D'Angelo, G., see Bartolotta, A. 235–237 (1998) 600
Das, S.P., see Ahluwalia, R. 235–237 (1998) 115
David, L., G. Vigier, S. Etienne, A. Faivre, C.L. Soles and A.F. Yee, Density fluctuations in amorphous systems: SAXS and PALS results 235–237 (1998) 383
David, L., see Abbès, K. 235–237 (1998) 286
David, L., see Etienne, S. 235–237 (1998) 628
De Odorico, W., see Ladynski, H. 235–237 (1998) 491
Del Castillo, L.F., S.I. Hernández, A. García-Zavala and R. Díaz-Calleja, Effects of symmetric and antisymmetric stress tensors on N- and α-dielectric relaxations 235–237 (1998) 677
Demont, P., see Doulut, S. 235–237 (1998) 645
Deppe, D.D., see Hall, D.B. 235–237 (1998) 48
Descamps, M., J.F. Willart, B. Kuchta and F. Affouard, Metastable state in glassy crystal cyanoadamantane: experiments and simulations 235–237 (1998) 559
Dhinojwala, A., see Hall, D.B. 235–237 (1998) 48
Díaz-Calleja, R., see Del Castillo, L.F. 235–237 (1998) 677
Diaz Calleja, R., see Matveeva, E.S. 235–237 (1998) 772
Di Marco, G., see Bartolotta, A. 235–237 (1998) 600
Dianoux, A.J., see Duval, E. 235–237 (1998) 203
Dieterich, W., see Pendzig, P. 235–237 (1998) 748
Diezemann, G., R. Böhmer, G. Hinze and H. Sillescu, Reorientational dynamics in simple supercooled liquids 235–237 (1998) 121
Diezemann, G., see Böhmer, R. 235–237 (1998) 1
Donth, E., see Vieweg, S. 235–237 (1998) 470
Douglas, J.F., and D. Leporini, Obstruction model of the fractional Stokes–Einstein relation in glass-forming liquids 235–237 (1998) 137
Doulut, S., C. Bacharan, P. Demont, A. Bernès and C. Lacabanne, Physical aging and tacticity effects on the α relaxation mode of amorphous polymers by thermally stimulated techniques 235–237 (1998) 645
Du, W.M., see Cummins, H.Z. 235–237 (1998) 254
Duval, E., A. Mermet, N.V. Surovtsev and A.J. Dianoux, Boson peak, nanostructure and relaxation of glasses 235–237 (1998) 203

Dyre, J.C., Source of non-Arrhenius average relaxation time in glass-forming liquids 235–237 (1998) 142
Dyre, J.C., see Schrøder, T.B. 235–237 (1998) 331

Ecolivet, C., see Rufflé, B. 235–237 (1998) 244
Ediger, M.D., Can density or entropy fluctuations explain enhanced translational diffusion in glass-forming liquids? 235–237 (1998) 10
Egorov, V.M., see Bershtein, V.A. 235–237 (1998) 476
Egorova, L.M., see Bershtein, V.A. 235–237 (1998) 476
Elbaile, L., see Tejedor, M. 235–237 (1998) 793
Eliasson, H., B.-E. Mellander and L. Sjögren, Mode-coupling analysis of amorphous PET 235–237 (1998) 101
Elícegui, A., J. José Del Val, J. Luis Millán and C. Mijangos, α and β relaxation processes in internally plasticized poly (vinylchloride) 235–237 (1998) 623
Etienne, S., C. Lamorlette and L. David, Molecular mobility and structural state relationship in amorphous polymers 235–237 (1998) 628
Etienne, S., see David, L. 235–237 (1998) 383

Fabbian, L., F. Sciortino and P. Tartaglia, Rotational dynamics in a simulated supercooled network-forming liquid 235–237 (1998) 325
Fainleib, A., see Bartolotta, A. 235–237 (1998) 600
Faivre, A., see Abbès, K. 235–237 (1998) 286
Faivre, A., see David, L. 235–237 (1998) 383
Feldman, Y., see Gutina, A. 235–237 (1998) 302
Ferrer, G.G., M. Monleón Pradas, J. Luis Gómez Ribelles and P. Pissis, Swelling and thermally stimulated depolarization currents in hydrogels formed by interpenetrating polymer networks 235–237 (1998) 692
Fioretto, D., see Capaccioli, S. 235–237 (1998) 576
Fioretto, D., see Monaco, G. 235–237 (1998) 208
Fischer, E.W., see Patkowski, A. 235–237 (1998) 268
Fleischer, G., H. Scheller, J. Kärger, A. Reiche and B. Sandner, Correlation of self-diffusivity and ionic conductivity in gel electrolytes on basis of oligo(ethylene glycol)$_n$-dimethacrylate 235–237 (1998) 742
Floudas, G., I. Alig, A. Avgeropoulos and N. Hadjichristidis, Dynamic probe of the interface in lamellar forming non-linear block copolymers of the $(BA)_3B$ and $(BA)_3B(AB)_3$ type. A dielectric spectroscopy study 235–237 (1998) 485
Franosch, T., and A.P. Singh, Phase diagram for a linear solute molecule in a supercooled liquid 235–237 (1998) 150
Franosch, T., see Singh, A.P. 235–237 (1998) 66
Franosch, T., W. Götze, M.R. Mayr and A.P. Singh, Structure and structure relaxation 235–237 (1998) 71
Frick, B., see Alba-Simionesco, C. 235–237 (1998) 367
Frick, B., see Mukhopadhyay, R. 235–237 (1998) 233
Frick, B., see Zorn, R. 235–237 (1998) 169
Fuchizaki, K., see Kawasaki, K. 235–237 (1998) 57
Fuchs, M., see Singh, A.P. 235–237 (1998) 66
Fujimori, H., see Alba-Simionesco, C. 235–237 (1998) 367
Fujisaki, M., see Matsui, J. 235–237 (1998) 335
Fukao, K., and Y. Miyamoto, Dielectric relaxation and X-ray scattering of poly(ethylene terephthalate) during crystallization process 235–237 (1998) 534
Fundora, A., A. Vázquez, J. Portelles, F. Calderón and J.M. Siqueiros, Diffuse phase transitions in ferroelectric ceramics 235–237 (1998) 567

Gabrys, B., see Kanaya, T. 235–237 (1998) 212
Galam, S., A geometrical model for mixed cyanide crystals 235–237 (1998) 570
Gallone, G., see Capaccioli, S. 235–237 (1998) 576
García de la Torre, J., see Hernández Cifre, J.G. 235–237 (1998) 717
García, J.A., see Tejedor, M. 235–237 (1998) 793
García-Zavala, A., see Del Castillo, L.F. 235–237 (1998) 677
Gebhardt, R., see Kasper, G. 235–237 (1998) 275
Geil, B., see Böhmer, R. 235–237 (1998) 1
Gilchriest, A., see Haralampus, N. 235–237 (1998) 428
Giordano, M., see Andreozzi, L. 235–237 (1998) 219
Godard, M.-E., and J.-M. Saiter, Fragility and non-linearity in poly-methyl(α-n-alkyl)acrylates 235–237 (1998) 635
Götze, W., see Franosch, T. 235–237 (1998) 71
Götze, W., see Singh, A.P. 235–237 (1998) 66
Grande, H., T.F. Otero and I. Cantero, Conformational relaxation in conducting polymers: effect of polymer–solvent interactions 235–237 (1998) 619
Greaves, G.N., A.V. Chadwick, M.C. Jermy, M.E. Smith and R. Zhu, Changing Debye–Waller factors in mixed alkali $K_xCs_{(1-x)}Si_2O_5$ glasses 235–237 (1998) 766
Green, P.F., and J.C. Barbour, Effect of homopolymer host chain relaxations on the translational diffusion of a diblock copolymer 235–237 (1998) 640
Grunow, V., see Pelster, R. 235–237 (1998) 160
Gutina, A., E. Axelrod, A. Puzenko, E. Rysiakiewicz-Pasek, N. Kozlovich and Y. Feldman, Dielectric relaxation of porous glasses 235–237 (1998) 302

Hadjichristidis, N., see Floudas, G. 235–237 (1998) 485
Hall, D.B., D.D. Deppe, K.E. Hamilton, A. Dhinojwala and J.M. Torkelson,

Probe translational and rotational diffusion in polymers near T_g: roles of probe size, shape, and secondary bonding in deviations from Debye–Stokes–Einstein scaling 235–237 (1998) 48
Halpern, V., The relaxation of a model system of interacting dipoles 235–237 (1998) 154
Hamilton, K.E., see Hall, D.B. 235–237 (1998) 48
Hanaya, M., see Hikima, T. 235–237 (1998) 539
Haralampus, N., P. Argiriadi, A. Gilchriest, E. Ashmore, C. Scordalakes, W. Martin, D. Kranbuehl and P. Verdier, Dielectric measurements and computer simulation of the effect of confinement on the glass transition temperature 235–237 (1998) 428
Harrowell, P., see Perera, D.N. 235–237 (1998) 314
Hempel, E., see Vieweg, S. 235–237 (1998) 470
Hensel, A., and C. Schick, Relation between freezing-in due to linear cooling and the dynamic glass transition temperature by temperature-modulated DSC 235–237 (1998) 510
Hernández Cifre, J.G., and J. García de la Torre, Simulation of polymers in dilute solution under elongational flow 235–237 (1998) 717
Hernández, S.I., see Del Castillo, L.F. 235–237 (1998) 677
Heuer, A., see Tracht, U. 235–237 (1998) 27
Heuer, A., see Böhmer, R. 235–237 (1998) 1
Higonenq, N., see Alba-Simionesco, C. 235–237 (1998) 367
Hiki, Y., see Ozawa, S. 235–237 (1998) 349
Hikima, T., M. Hanaya and M. Oguni, Numerical and morphological approach to the mechanism of homogeneous-nucleation-based crystallization in *o*-terphenyl 235–237 (1998) 539
Hinze, G., see Böhmer, R. 235–237 (1998) 1
Hinze, G., see Diezemann, G. 235–237 (1998) 121
Hiwatari, Y., and T. Muranaka, Structural heterogeneity in supercooled liquids and glasses 235–237 (1998) 19
Honolka, J., see Kasper, G. 235–237 (1998) 275
Horbach, J., W. Kob and K. Binder, The dynamics of supercooled silica: acoustic modes and boson peak 235–237 (1998) 320
Hossain, K.S., and N. Nemoto, Dynamic light scattering of iota carrageenan gelling system 235–237 (1998) 682
Huang, Q.R., and C.H. Wang, Interaction and dynamics of polymer solutions at the air/liquid interface by laser light scattering 235–237 (1998) 464
Hunklinger, S., see Kasper, G. 235–237 (1998) 275
Hwang, Y.H., G.Q. Shen and H.Z. Cummins, Light scattering study of the liquid–glass transition in tri-methylheptane: depolarized near backscattering study 235–237 (1998) 180
Hwang, Y.H., see Cummins, H.Z. 235–237 (1998) 254

Ibarra, J., see León, C. 235–237 (1998) 753
Illeková, E., and J. Bartoš, On structural relaxation of $Zr_{52}Ni_{26}Al_{22}$ metallic glass 235–237 (1998) 789
Itoh, S., see Matsui, G. 235–237 (1998) 271

Jenninger, W., see Alig, I. 235–237 (1998) 504
Jermy, M.C., see Greaves, G.N. 235–237 (1998) 766
Jiménez-Garay, R., see Vázquez, J. 235–237 (1998) 548
José Del Val, J., see Elícegui, A. 235–237 (1998) 623

Kaji, K., see Kanaya, T. 235–237 (1998) 212
Kaji, K., see Tsukushi, I. 235–237 (1998) 250
Kamitsos, E.I., see Chryssikos, G.D. 235–237 (1998) 761
Kanai, Y., see Yagihara, S. 235–237 (1998) 412
Kanaya, T., I. Tsukushi, K. Kaji, B. Gabrys and S.M. Bennington, Heterogeneity of amorphous polymers with various fragility indices as studied in terms of non-Gaussian parameter 235–237 (1998) 212
Kanaya, T., see Tsukushi, I. 235–237 (1998) 250
Kärger, J., see Fleischer, G. 235–237 (1998) 742
Kasper, G., R. Gebhardt, J. Honolka and S. Hunklinger, Light-induced changes of tunneling systems in a-As_2S_3 235–237 (1998) 275
Kawasaki, K., and K. Fuchizaki, An attempt to go beyond the current mode coupling theories of supercooled liquids and glass transitions 235–237 (1998) 57
Kivelson, D., and G. Tarjus, SuperArrhenius character of supercooled glass-forming liquids 235–237 (1998) 86
Klein, J., Shear of liquid films confined to molecular dimensions 235–237 (1998) 422
Kob, W., see Horbach, J. 235–237 (1998) 320
Kojima, S., see Matsui, G. 235–237 (1998) 271
Kozlovich, N., see Gutina, A. 235–237 (1998) 302
Kranbuehl, D., see Haralampus, N. 235–237 (1998) 428
Kraus, J., see Kuhlmann, T. 235–237 (1998) 457
Krauthäuser, H.G., see Pelster, R. 235–237 (1998) 160
Krištiak, J., see Bartoš, J. 235–237 (1998) 293
Kruse, T., see Pelster, R. 235–237 (1998) 160
Kuchta, B., see Descamps, M. 235–237 (1998) 559
Kudlik, A., C. Tschirwitz, T. Blochowicz, S. Benkhof and E. Rössler, Slow secondary relaxation in simple glass formers 235–237 (1998) 406
Kuebler, S.C., see Böhmer, R. 235–237 (1998) 1
Kuhlmann, T., J. Kraus, P. Müller-Buschbaum, D.W. Schubert and M. Stamm, Effects of confined geometry

and substrate interaction on the initial stages of interdiffusion in polystyrene films 235–237 (1998) 457
Kyritsis, A., see Pissis, P. 235–237 (1998) 444

Lacabanne, C., see Doulut, S. 235–237 (1998) 645
Ladynski, H., W. De Odorico and M. Stamm, Effect of pressure on the microphase separation of the symmetric diblock copolymer poly(styrene–block–butadiene) 235–237 (1998) 491
Lamorlette, C., see Etienne, S. 235–237 (1998) 628
Latz, A., The β-relaxation amplitudes for a dipolar hard sphere glass 235–237 (1998) 128
Le Sauze, A., see Rufflé, B. 235–237 (1998) 244
Ledru, J., see Cortés, P. 235–237 (1998) 522
Leheny, R.L., and S.R. Nagel, Dielectric susceptibility studies of the high-frequency shape of the primary relaxation in supercooled liquids 235–237 (1998) 278
León, C., J. Santamaría, M.A. París, J. Sanz, J. Ibarra and A. Várez, Non-Debye conductivity relaxation in the non-Arrhenius $Li_{0.5}La_{0.5}TiO_3$ fast ionic conductor. A nuclear magnetic resonance and complex impedance study 235–237 (1998) 753
Leporini, D., see Andreozzi, L. 235–237 (1998) 219
Leporini, D., see Douglas, J.F. 235–237 (1998) 137
Levelut, C., Y. Scheyer, J. Pelous and F. Prochazka, Brillouin and neutron inelastic scattering investigation of the relaxational processes in glass- and gel-forming polymers 235–237 (1998) 375
Li, G., see Cummins, H.Z. 235–237 (1998) 254
Li, G., see Singh, A.P. 235–237 (1998) 66
Liu, J.-S., see Yan, F. 235–237 (1998) 362
Liu, L., see Chryssikos, G.D. 235–237 (1998) 761
Liu, T., see Wu, C. 235–237 (1998) 605
Loidl, A., see Schneider, U. 235–237 (1998) 173
López-Quintela, M.A., see Tojo, C. 235–237 (1998) 688
Lorenzo, A., see Pierna, A.R. 235–237 (1998) 796
Losert, W., see Cummins, H.Z. 235–237 (1998) 254
Luis Gómez Ribelles, J., see Ferrer, G.G. 235–237 (1998) 692
Luis Millán, J., see Elícegui, A. 235–237 (1998) 623
Lunkenheimer, P., see Schneider, U. 235–237 (1998) 173

Málek, J., Structural relaxation of As_2S_3 glass by length dilatometry 235–237 (1998) 527
Marchand, R., see Rufflé, B. 235–237 (1998) 244
Martin, W., see Haralampus, N. 235–237 (1998) 428
Marzo, F.F., see Pierna, A.R. 235–237 (1998) 796
Mashimo, S., see Yagihara, S. 235–237 (1998) 412
Matsui, J., M. Fujisaki and T. Odagaki, The self-part of the generalized susceptibility of a supercooled binary soft-sphere system 235–237 (1998) 335
Matsui, G., S. Kojima and S. Itoh, Dynamics of relaxation process of glass transition in deuterated ethylene glycol 235–237 (1998) 271
Matsuo, T., see Yamamuro, O. 235–237 (1998) 517
Matveeva, E.S., R. Diaz Calleja and V. Parkhutik, Equivalent circuit analysis of the electrical properties of conducting polymers: electrical relaxation mechanisms in polyaniline under dry and wet conditions 235–237 (1998) 772
Mayr, M.R., see Franosch, T. 235–237 (1998) 71
Mazeau, K., see Montès, H. 235–237 (1998) 416
Mellander, B.-E., see Eliasson, H. 235–237 (1998) 101
Mermet, A., see Duval, E. 235–237 (1998) 203
Mijangos, C., see Elícegui, A. 235–237 (1998) 623
Mijović, J., Dynamics and cooperativity in thermoset networks by dielectric relaxation spectroscopy 235–237 (1998) 587
Mitra, S., R. Mukhopadhyay, K.T. Pillai and V.N. Vaidya, Dynamics of water contained in porous alumina 235–237 (1998) 229
Miyamoto, Y., see Fukao, K. 235–237 (1998) 534
Monaco, G., G. Ruocco, L. Comez and D. Fioretto, Dynamic structure factor of glassy *o*-terphenyl: a Brillouin light scattering study 235–237 (1998) 208
Monleón Pradas, M., see Ferrer, G.G. 235–237 (1998) 692
Montès, H., K. Mazeau and J.Y. Cavaillé, The mechanical β relaxation in amorphous cellulose 235–237 (1998) 416
Montserrat, S., see Cortés, P. 235–237 (1998) 522
Morancho, J.M., and J.M. Salla, Relaxation in a neat epoxy resin and in the same resin modified with a carboxyl-terminated copolymer 235–237 (1998) 596
Morineau, D., see Alba-Simionesco, C. 235–237 (1998) 367
Moynihan, C.T., Contributions of dynamic heterogeneity to non-exponential electrical relaxation in ionically conducting glasses and melts 235–237 (1998) 781
Mukhopadhyay, R., A. Alegría, J. Colmenero and B. Frick, Effect of blending on the methyl side group dynamics in poly(vinyl methyl ether) 235–237 (1998) 233
Mukhopadhyay, R., see Mitra, S. 235–237 (1998) 229
Müller-Buschbaum, P., see Kuhlmann, T. 235–237 (1998) 457
Muranaka, T., see Hiwatari, Y. 235–237 (1998) 19

Nagel, S.R., see Leheny, R.L. 235–237 (1998) 278
Nanzai, Y., An extension of compensation effect for zero shear melt viscosity to non-newtonian flow in glassy polymers 235–237 (1998) 723

Neelov, I., S. Niemelä and F. Sundholm, A computer simulation of the molecular properties of amorphous poly (vinyl chloride), PVC 235–237 (1998) 340
Neelov, I., F. Sundholm and K. Binder, Stochastic dynamics of polymer brushes under shear deformation 235–237 (1998) 731
Nemoto, N., see Hossain, K.S. 235–237 (1998) 682
Ngai, K.L., A.K. Rizos and D.J. Plazek, Reduction of the glass temperature of thin freely standing polymer films caused by the decrease of the coupling parameter in the coupling model 235–237 (1998) 435
Ngai, K.L., see Yagihara, S. 235–237 (1998) 412
Nielsen, J.K., Frequency dependent thermodynamic response functions from computer simulations 235–237 (1998) 346
Niemelä, S., see Neelov, I. 235–237 (1998) 340
Nimtz, G., see Pelster, R. 235–237 (1998) 160
Nimtz, G., see Pissis, P. 235–237 (1998) 444
Nishizawa, M., see Yamamuro, O. 235–237 (1998) 517
Nitzan, A., see Pendzig, P. 235–237 (1998) 748
Novikov, V.N., Anharmonic vibration coupling and fast relaxation in glasses 235–237 (1998) 196
Nozaki, R., D. Suzuki, S. Ozawa and Y. Shiozaki, The α and the β relaxation processes in supercooled sorbitol 235–237 (1998) 393

Odagaki, T., see Matsui, J. 235–237 (1998) 335
Oguni, M., see Hikima, T. 235–237 (1998) 539
Oishi, Y., see Yamamuro, O. 235–237 (1998) 517
Okrasa, L., J. Ulański, P. Wojciechowski, G. Boiteux and G. Seytre, α-Relaxation processes in the composites of LC-cellulose derivatives 235–237 (1998) 658
Olsen, N.B., Scaling of β-relaxation in the equilibrium liquid state of sorbitol 235–237 (1998) 399
Olsen, N.B., see Christensen, T. 235–237 (1998) 296
Onuki, A., and R. Yamamoto, Kinetic heterogeneities and non-linear rheology of highly supercooled liquids 235–237 (1998) 34
Otero, T.F., see Grande, H. 235–237 (1998) 619
Ozawa, S., H. Tanaka, Y. Sasajima and Y. Hiki, Computer simulation of the structure and relaxation of amorphous ice 235–237 (1998) 349
Ozawa, S., see Nozaki, R. 235–237 (1998) 393

París, M.A., see León, C. 235–237 (1998) 753
Parkhutik, V., see Matveeva, E.S. 235–237 (1998) 772
Patkowski, A., W. Steffen and E. W. Fischer, Comments on 'Relaxation dynamics in orthoterphenyl: comparing β_K from extended mode coupling theory and phenomenological analyses' 235–237 (1998) 268
Pelous, J., see Levelut, C. 235–237 (1998) 375
Pelous, J., see Prat, J.L. 235–237 (1998) 388
Pelster, R., see Pissis, P. 235–237 (1998) 444
Pelster, R., T. Kruse, H.G. Krauthäuser, V. Grunow, G. Nimtz and P. Pissis, Inversion of dielectric spectra into 2D distributions of activation energy and relaxation time 235–237 (1998) 160
Pendzig, P., W. Dieterich and A. Nitzan, Monte Carlo study of diffusion in polymer electrolytes 235–237 (1998) 748
Perera, D.N., and P. Harrowell, A two dimensional glass: microstructure and dynamics of a 2D binary mixture 235–237 (1998) 314
Perez, J., see Abbès, K. 235–237 (1998) 286
Peschanskaya, N.N., see Bershtein, V.A. 235–237 (1998) 584
Piché, L., see Sahnoune, A. 235–237 (1998) 664
Pierna, A.R., A. Lorenzo, F.F. Marzo, A. Altube and M. Sistiaga, Electrochemical behaviour of $Fe_{40}Ni_{38}Mo_4B_{18}$ amorphous alloys in aqueous solution at high pH. Influence of the structural relaxation 235–237 (1998) 796
Pillai, K.T., see Mitra, S. 235–237 (1998) 229
Pissis, P., A. Kyritsis, G. Barut, R. Pelster and G. Nimtz, Glass transition in 2- and 3-dimensionally confined liquids 235–237 (1998) 444
Pissis, P., see Bershtein, V.A. 235–237 (1998) 584
Pissis, P., see Ferrer, G.G. 235–237 (1998) 692
Pissis, P., see Pelster, R. 235–237 (1998) 160
Plazek, D.J., see Ngai, K.L. 235–237 (1998) 435
Portelles, J., see Fundora, A. 235–237 (1998) 567
Prat, J.L., F. Terki and J. Pelous, Connection between fictive temperature and structural defects responsible for the relaxational processes in oxide glasses 235–237 (1998) 388
Privalko, V.P., see Bartolotta, A. 235–237 (1998) 600
Prochazka, F., see Levelut, C. 235–237 (1998) 375
Puzenko, A., see Gutina, A. 235–237 (1998) 302

Quitmann, D., and M. Soltwisch, Disorder and picosecond dynamics: the glass↔liquid transformation 235–237 (1998) 237

Rault, J., Yielding in amorphous and semi-crystalline polymers: the compensation law 235–237 (1998) 737
Reiche, A., see Fleischer, G. 235–237 (1998) 742
Riande, E., see Saiz, E. 235–237 (1998) 353
Ribes-Greus, A., see Contat-Rodrigo, L. 235–237 (1998) 670
Richert, R., see Böhmer, R. 235–237 (1998) 1
Richert, R., Molecular dynamics analyzed in terms of continuous measures of dynamic heterogeneity 235–237 (1998) 41
Richter, D., see Zorn, R. 235–237 (1998) 169

Rizos, A.K., A.M. Tsatsakis, M.I. Shtilman and W. Brown, Light scattering investigation of self-release polymeric derivatives 235–237 (1998) 652
Rizos, A.K., see Ngai, K.L. 235–237 (1998) 435
Roe, R.J., Molecular dynamics simulation study of short time dynamics in polystyrene 235–237 (1998) 308
Roland, C.M., see Santangelo, P.G. 235–237 (1998) 709
Rolla, P.A., see Capaccioli, S. 235–237 (1998) 576
Rössler, E., see Kudlik, A. 235–237 (1998) 406
Rufflé, B., S. Beaufils, B. Toudic, C. Ecolivet, A. Le Sauze and R. Marchand, Mode coupling analysis of the dynamical structure factor in supercooled liquid $Na_{0.5}Li_{0.5}PO_3$ 235–237 (1998) 244
Ruocco, G., see Monaco, G. 235–237 (1998) 208
Rysiakiewicz-Pasek, E., see Gutina, A. 235–237 (1998) 302

Sahnoune, A., and L. Piché, Ultrasonic study of anharmonicity in amorphous polymers: temperature, pressure and molecular weight effects 235–237 (1998) 664
Saiter, J.-M., see Godard, M.-E. 235–237 (1998) 635
Saiter, J.M., see Cortés, P. 235–237 (1998) 522
Saiz, E., and E. Riande, Application of molecular dynamics to the evaluation of dielectric properties of model compounds with flexible side groups of acrylic polymer chains 235–237 (1998) 353
Salla, J.M., see Morancho, J.M. 235–237 (1998) 596
Sandner, B., see Fleischer, G. 235–237 (1998) 742
Santamaría, J., see León, C. 235–237 (1998) 753
Santangelo, P.G., and C.M. Roland, Effect of long-chain branching on the rheology of 1,4-polyisoprene 235–237 (1998) 709
Sanz, J., see León, C. 235–237 (1998) 753
Sasajima, Y., see Ozawa, S. 235–237 (1998) 349
Schawe, J.E.K., and S. Theobald, Linearity limits of dynamic calorimetric response at the glass transition of polystyrene 235–237 (1998) 496
Schawe, J.E.K., see Alig, I. 235–237 (1998) 504
Scheller, H., see Fleischer, G. 235–237 (1998) 742
Scheyer, Y., see Levelut, C. 235–237 (1998) 375
Schick, C., see Hensel, A. 235–237 (1998) 510
Schiener, B., see Böhmer, R. 235–237 (1998) 1
Schilling, R., see Theis, C. 235–237 (1998) 106
Schneider, U., P. Lunkenheimer, R. Brand and A. Loidl, Dielectric and far-infrared spectroscopy of glycerol 235–237 (1998) 173
Schönhals, A., and R. Stauga, Dielectric normal mode relaxation of poly(propylene glycol) melts in confining geometries 235–237 (1998) 450
Schrøder, T.B., and J.C. Dyre, Hopping in a supercooled binary Lennard–Jones liquid 235–237 (1998) 331
Schubert, D.W., see Kuhlmann, T. 235–237 (1998) 457
Sciortino, F., see Fabbian, L. 235–237 (1998) 325
Scordalakes, C., see Haralampus, N. 235–237 (1998) 428
Seytre, G., see Okrasa, L. 235–237 (1998) 658
Shen, G.Q., see Cummins, H.Z. 235–237 (1998) 254
Shen, G.Q., see Hwang, Y.H. 235–237 (1998) 180
Shinyashiki, N., see Yagihara, S. 235–237 (1998) 412
Shiozaki, Y., see Nozaki, R. 235–237 (1998) 393
Shtilman, M.I., see Rizos, A.K. 235–237 (1998) 652
Sillescu, H., see Böhmer, R. 235–237 (1998) 1
Sillescu, H., see Diezemann, G. 235–237 (1998) 121
Sinani, A.B., see Bershtein, V.A. 235–237 (1998) 584
Singh, A.P., G. Li, W. Götze, M. Fuchs, T. Franosch and H.Z. Cummins, Structural relaxation in orthoterphenyl: a schematic mode-coupling-theory model analysis 235–237 (1998) 66
Singh, A.P., see Franosch, T. 235–237 (1998) 71
Singh, A.P., see Franosch, T. 235–237 (1998) 150
Siqueiros, J.M., see Fundora, A. 235–237 (1998) 567
Sistiaga, M., see Pierna, A.R. 235–237 (1998) 796
Sjögren, L., see Eliasson, H. 235–237 (1998) 101
Smith, M.E., see Greaves, G.N. 235–237 (1998) 766
Sokolov, A.P., The glass transition: general scenario and crossover temperature 235–237 (1998) 190
Soles, C.L., see David, L. 235–237 (1998) 383
Soltwisch, M., see Quitmann, D. 235–237 (1998) 237
Spiess, H.W., see Böhmer, R. 235–237 (1998) 1
Spiess, H.W., see Tracht, U. 235–237 (1998) 27
Stamm, M., see Kuhlmann, T. 235–237 (1998) 457
Stamm, M., see Ladynski, H. 235–237 (1998) 491
Stauga, R., see Schönhals, A. 235–237 (1998) 450
Steffen, W., see Patkowski, A. 235–237 (1998) 268
Sundholm, F., see Neelov, I. 235–237 (1998) 340
Sundholm, F., see Neelov, I. 235–237 (1998) 731
Surovtsev, N.V., see Duval, E. 235–237 (1998) 203
Suzuki, D., see Nozaki, R. 235–237 (1998) 393
Svanberg, C., see Bergman, R. 235–237 (1998) 225
Sysel, P., see Bershtein, V.A. 235–237 (1998) 476

Tanaka, H., see Ozawa, S. 235–237 (1998) 349
Tarjus, G., see Kivelson, D. 235–237 (1998) 86
Tartaglia, P., see Fabbian, L. 235–237 (1998) 325
Tejedor, M., J.A. García, J. Carrizo and L. Elbaile, Influence of thermal treatments on the internal stresses of metallic glasses 235–237 (1998) 793
Terki, F., see Prat, J.L. 235–237 (1998) 388
Theis, C., and R. Schilling, Non-ergodicity parameters for a molecular liquid: a comparison between mode coupling theory and simulation 235–237 (1998) 106
Theobald, S., see Schawe, J.E.K. 235–237 (1998) 496

Tojo, C., M.C. Blanco and M.A. López-Quintela, Microemulsions as microreactors: a Monte Carlo simulation on the synthesis of particles 235–237 (1998) 688
Torell, L.M., see Bergman, R. 235–237 (1998) 225
Torkelson, J.M., see Hall, D.B. 235–237 (1998) 48
Toudic, B., see Rufflé, B. 235–237 (1998) 244
Tracht, U., A. Heuer and H.W. Spiess, Different dynamic filters constructed from multidimensional NMR experiments 235–237 (1998) 27
Tracht, U., see Böhmer, R. 235–237 (1998) 1
Tripodo, G., see Bartolotta, A. 235–237 (1998) 600
Tripodo, G., see D'Angelo, G. 235–237 (1998) 697
Tsatsakis, A.M., see Rizos, A.K. 235–237 (1998) 652
Tschirwitz, C., see Kudlik, A. 235–237 (1998) 406
Tsukushi, I., T. Kanaya and K. Kaji, Spatial scale of low-energy excitation in amorphous polymers 235–237 (1998) 250
Tsukushi, I., see Kanaya, T. 235–237 (1998) 212

Ulański, J., see Okrasa, L. 235–237 (1998) 658
Unger, R., see Vieweg, S. 235–237 (1998) 470

Vázquez, A., see Fundora, A. 235–237 (1998) 567
Vaidya, V.N., see Mitra, S. 235–237 (1998) 229
Várez, A., see León, C. 235–237 (1998) 753
Varsamis, C.P., see Chryssikos, G.D. 235–237 (1998) 761
Vázquez, J., C. Wagner, P. Villares and R. Jiménez-Garay, Glass transition and crystallization kinetics in $Sb_{0.18}As_{0.34}Se_{0.48}$ glassy alloy by using non-isothermal techniques 235–237 (1998) 548
Verdier, P., see Haralampus, N. 235–237 (1998) 428
Vieweg, S., R. Unger, E. Hempel and E. Donth, Kinetic structure of glass transition in polymer interfaces between filler and SBR matrix 235–237 (1998) 470
Vigier, G., see Abbès, K. 235–237 (1998) 286
Vigier, G., see David, L. 235–237 (1998) 383
Vigil, M.R., J. Bravo, T.D.Z. Atvars and J. Baselga, A luminescence study of microstructure development and melting/crystallization processes in low density polyethylene (LDPE) 235–237 (1998) 554
Villares, P., see Vázquez, J. 235–237 (1998) 548

Wagner, C., see Vázquez, J. 235–237 (1998) 548
Wang, C.H., see Huang, Q.R. 235–237 (1998) 464
Wang, Y.-N., see Yan, F. 235–237 (1998) 362
Wilhelm, M., see Böhmer, R. 235–237 (1998) 1
Willart, J.F., see Descamps, M. 235–237 (1998) 559
Wojciechowski, P., see Okrasa, L. 235–237 (1998) 658
Wu, C., T. Liu and B. Chu, A new separation medium for DNA capillary electrophoresis: self-assembly behavior of Pluronic polyol $E_{99}P_{69}E_{99}$ in 1X TBE buffer 235–237 (1998) 605

Yagihara, S., M. Yamada, M. Asano, Y. Kanai, N. Shinyashiki, S. Mashimo and K.L. Ngai, Dielectric study on β-relaxation process of tetramethylbisphenol-A polycarbonate 235–237 (1998) 412
Yakushev, P.N., see Bershtein, V.A. 235–237 (1998) 584
Yamada, M., see Yagihara, S. 235–237 (1998) 412
Yamamoto, R., see Onuki, A. 235–237 (1998) 34
Yamamuro, O., Y. Oishi, M. Nishizawa and T. Matsuo, Enthalpy relaxation of glassy glycerol prepared by rapid liquid quenching 235–237 (1998) 517
Yan, F., J.-S. Liu and Y.-N. Wang, The Monte Carlo simulation on the relaxational process related to the glass transition of C_{60} crystal 235–237 (1998) 362
Yee, A.F., see David, L. 235–237 (1998) 383

Zgonnik, V.N., see Bershtein, V.A. 235–237 (1998) 476
Zhang, J.X., see Zheng, G.P. 235–237 (1998) 164
Zheng, G.P., and J.X. Zhang, Kinetics of domain growth far from equilibrium in glass materials 235–237 (1998) 164
Zhu, R., see Greaves, G.N. 235–237 (1998) 766
Zorn, R., A. Alegría, A. Arbe, J. Colmenero, D. Richter and B. Frick, Fast-dynamics in plasticized poly(vinyl chloride) 235–237 (1998) 169

ELSEVIER

Journal of Non-Crystalline Solids 235–237 (1998) 809–814

JOURNAL OF NON-CRYSTALLINE SOLIDS

Subject Index

Alkali Borate Glasses
Infra-red Absorption, Ionic Conductivity Relaxation 235–237 (1998) 761

Alkali Silicate Glasses
Fictive Temperature, Rigidity Percolation 235–237 (1998) 388

Amorphous Polymers
Dielectric Relaxation, Glass Transition 235–237 (1998) 580
Dielectric Relaxation, Glass Transition, Glassy Polymers 235–237 (1998) 623
Differential Scanning Calorimetry, Fragility 235–237 (1998) 635
Fragility, Light Scattering 235–237 (1998) 225
Fragility, Neutron Quasielastic Scattering, Structural Relaxation 235–237 (1998) 212
Glass Transition, Mechanical Relaxation 235–237 (1998) 628
Glass Transition, Neutron Inelastic Scattering 235–237 (1998) 203
Heat Capacity, Neutron Inelastic Scattering 235–237 (1998) 250
Molecular Dynamics Simulation 235–237 (1998) 340
Molecular Dynamics Simulation, Structural Relaxation 235–237 (1998) 308
Polymer Dynamics, Ultrasonic Relaxation 235–237 (1998) 664
Positron Annihilation, Small Angle X-ray Scattering 235–237 (1998) 383
Structural Relaxation, Thermal Stimulated Depolarization Current 235–237 (1998) 645

Annealing Effects
Metallic Glasses 235–237 (1998) 793

Biopolymer
Copolymers, Rheology 235–237 (1998) 605

Borosilicates
Dielectric Relaxation, Porosity 235–237 (1998) 302

Brillouin Scattering
Glass Transition 235–237 (1998) 271
Glass-forming Viscous Liquids 235–237 (1998) 208
Neutron Inelastic Scattering, Polymers 235–237 (1998) 375

Ceramics
Dielectric Relaxation, Phase Transition 235–237 (1998) 567

Chalcogenide Glasses
Crystallization, Glass Transition 235–237 (1998) 548
Enthalpy Relaxation 235–237 (1998) 522
Photoinduced Effects, Two-Level System 235–237 (1998) 275

Conductivity
Polymers 235–237 (1998) 772

Copolymers
Biopolymer, Rheology 235–237 (1998) 605
Phase Separation, Pressure-Induced Structural Transformation 235–237 (1998) 491

Creep
Mechanical Relaxation, Polymer Dynamics 235–237 (1998) 584

Crystallization
Chalcogenide Glasses, Glass Transition 235–237 (1998) 548
Dielectric Relaxation, X-ray Diffraction 235–237 (1998) 534
Nucleation 235–237 (1998) 539
Polymers 235–237 (1998) 554

Dielectric Properties
Molecular Dynamics Simulation, Polymer Dynamics 235–237 (1998) 353

Dielectric Relaxation
Amorphous Polymers, Glass Transition 235–237 (1998) 580
Amorphous Polymers, Glass Transition, Glassy Polymers 235–237 (1998) 623
Borosilicates, Porosity 235–237 (1998) 302
Ceramics, Phase Transition 235–237 (1998) 567
Crystallization, X-ray Diffraction 235–237 (1998) 534
Glass Transition 235–237 (1998) 173
Glass Transition, Glass-forming Viscous Liquids 235–237 (1998) 278
Glass Transition, Glass-forming Viscous Liquids 235–237 (1998) 428
Glass Transition, Polymer Network 235–237 (1998) 576
Glass Transition, Polymers 235–237 (1998) 658

Glass Transition, Supercooled Liquids 235–237 (1998) 406
Glass Transition, Supercooled Liquids 235–237 (1998) 444
Glass-forming Viscous Liquids, Supercooled Liquids 235–237 (1998) 393
Microemulsions 235–237 (1998) 704
Neutron Quasielastic Scattering, Polymer Dynamics 235–237 (1998) 169
Nuclear Magnetic Resonance, Structural Relaxation, Supercooled Liquids 235–237 (1998) 1
Polymer Blends, Polymer Dynamics 235–237 (1998) 412
Polymer Dynamics 235–237 (1998) 450
Polymer Dynamics 235–237 (1998) 485
Polymer Dynamics 235–237 (1998) 677
Polymer Network 235–237 (1998) 587
Relaxation 235–237 (1998) 160
Theory 235–237 (1998) 154

Differential Scanning Calorimetry
Amorphous Polymers, Fragility 235–237 (1998) 635
Enthalpy Relaxation, Physical Aging 235–237 (1998) 596
Glass Transition 235–237 (1998) 510
Glass Transition, Polymer Dynamics 235–237 (1998) 476
Glass Transition, Polymer Dynamics 235–237 (1998) 496
Metallic Glasses 235–237 (1998) 789
Orientational Glasses, X-ray Diffraction 235–237 (1998) 559
Polymer Network 235–237 (1998) 504

Diffusion
Electron Spin Resonance, Supercooled Liquids 235–237 (1998) 219
Gels, Ionic Conductivity 235–237 (1998) 742
Glass Transition 235–237 (1998) 48
Glass Transition, Glass-forming Viscous Liquids 235–237 (1998) 10
Glass Transition, Glass-forming Viscous Liquids 235–237 (1998) 137
Monte Carlo Simulations, Polymer Electrolyte 235–237 (1998) 748
Polymer Dynamics 235–237 (1998) 640

Disordered Crystals
Modelling 235–237 (1998) 570

Dynamic Structure
Glass Transition, Molecular Dynamics Simulation 235–237 (1998) 314

Dynamical Properties
Glass Transition 235–237 (1998) 41
Liquids, Orientational Correlation 235–237 (1998) 121

Electrical Properties and Relaxation
Ionic Conductivity, Nuclear Spin Relaxation 235–237 (1998) 753

Electron Spin Resonance
Diffusion, Supercooled Liquids 235–237 (1998) 219

Enthalpy Relaxation
Chalcogenide Glasses 235–237 (1998) 522
Differential Scanning Calorimetry, Physical Aging 235–237 (1998) 596
Supercooled Liquids 235–237 (1998) 517

Fictive Temperature
Alkali Silicate Glasses, Rigidity Percolation 235–237 (1998) 388

Fragility
Amorphous Polymers, Differential Scanning Calorimetry 235–237 (1998) 635
Amorphous Polymers, Light Scattering 235–237 (1998) 225
Amorphous Polymers, Neutron Quasielastic Scattering, Structural Relaxation 235–237 (1998) 212
Free Volume, Polymer Dynamics 235–237 (1998) 293
Glass Transition 235–237 (1998) 237
Polymer Electrolyte, Specific Heat 235–237 (1998) 697

Free Volume
Fragility, Polymer Dynamics 235–237 (1998) 293

Fullerenes
Glass Transition, Monte Carlo Simulations 235–237 (1998) 362

Gels
Diffusion, Ionic Conductivity 235–237 (1998) 742
Light Scattering, Sol–Gel Processes 235–237 (1998) 682

Glass Transition
Amorphous Polymers, Dielectric Relaxation 235–237 (1998) 580
Amorphous Polymers, Dielectric Relaxation, Glassy Polymers 235–237 (1998) 623
Amorphous Polymers, Mechanical Relaxation 235–237 (1998) 628
Amorphous Polymers, Neutron Inelastic Scattering 235–237 (1998) 203
Brillouin Scattering 235–237 (1998) 271
Chalcogenide Glasses, Crystallization 235–237 (1998) 548
Dielectric Relaxation 235–237 (1998) 173
Dielectric Relaxation, Glass-forming Viscous Liquids 235–237 (1998) 278
Dielectric Relaxation, Glass-forming Viscous Liquids 235–237 (1998) 428
Dielectric Relaxation, Polymer Network 235–237 (1998) 576
Dielectric Relaxation, Polymers 235–237 (1998) 658
Dielectric Relaxation, Supercooled Liquids 235–237 (1998) 406
Dielectric Relaxation, Supercooled Liquids 235–237 (1998) 444
Differential Scanning Calorimetry 235–237 (1998) 510
Differential Scanning Calorimetry, Polymer Dynamics 235–237 (1998) 476

Differential Scanning Calorimetry, Polymer Dynamics 235–237 (1998) 496
Diffusion 235–237 (1998) 48
Diffusion, Glass-forming Viscous Liquids 235–237 (1998) 10
Diffusion, Glass-forming Viscous Liquids 235–237 (1998) 137
Dynamic Structure, Molecular Dynamics Simulation 235–237 (1998) 314
Dynamical Properties 235–237 (1998) 41
Fragility 235–237 (1998) 237
Fullerenes, Monte Carlo Simulations 235–237 (1998) 362
Glass-forming Viscous Liquids 235–237 (1998) 142
Glassy Polymers, Nuclear Magnetic Resonance 235–237 (1998) 27
Ionic Conductivity Relaxation 235–237 (1998) 781
Light Scattering, Mode Coupling 235–237 (1998) 180
Light Scattering, Neutron Quasielastic Scattering 235–237 (1998) 190
Light Scattering, Relaxation 235–237 (1998) 268
Mechanical Relaxation, Polymer Dynamics, Polymer Network 235–237 (1998) 470
Mobility 235–237 (1998) 286
Mode Coupling 235–237 (1998) 57
Mode Coupling, Structural Relaxation 235–237 (1998) 71
Molecular Dynamics Simulation 235–237 (1998) 335
Molecular Dynamics Simulation, Supercooled Liquids 235–237 (1998) 19
Neutron Quasielastic Scattering, Oxide Melts 235–237 (1998) 244
Relaxation 235–237 (1998) 196
Structural Relaxation, Viscosity 235–237 (1998) 527
Supercooled Liquids 235–237 (1998) 115
Supercooled Liquids 235–237 (1998) 399
Thin Films 235–237 (1998) 435

Glass-forming Viscous Liquids
Brillouin Scattering 235–237 (1998) 208
Dielectric Relaxation, Glass Transition 235–237 (1998) 278
Dielectric Relaxation, Glass Transition 235–237 (1998) 428
Dielectric Relaxation, Supercooled Liquids 235–237 (1998) 393
Diffusion, Glass Transition 235–237 (1998) 10
Diffusion, Glass Transition 235–237 (1998) 137
Glass Transition 235–237 (1998) 142
Mode Coupling, Structural Relaxation 235–237 (1998) 66
Supercooled Liquids 235–237 (1998) 86

Glassy Polymers
Amorphous Polymers, Dielectric Relaxation, Glass Transition 235–237 (1998) 623
Glass Transition, Nuclear Magnetic Resonance 235–237 (1998) 27
Rheology 235–237 (1998) 723

Growth Kinetics
Modelling 235–237 (1998) 164

Heat Capacity
Amorphous Polymers, Neutron Inelastic Scattering 235–237 (1998) 250

Hopping
Molecular Dynamics Simulation, Supercooled Liquids 235–237 (1998) 331

Ice
Relaxation, Structure 235–237 (1998) 349

Infra-red Absorption
Alkali Borate Glasses, Ionic Conductivity Relaxation 235–237 (1998) 761

Ionic Conductivity Relaxation
Alkali Borate Glasses, Infra-red Absorption 235–237 (1998) 761
Glass Transition 235–237 (1998) 781

Ionic Conductivity
Diffusion, Gels 235–237 (1998) 742
Electrical Properties and Relaxation, Nuclear Spin Relaxation 235–237 (1998) 753

Light Scattering
Amorphous Polymers, Fragility 235–237 (1998) 225
Gels, Sol–Gel Processes 235–237 (1998) 682
Glass Transition, Mode Coupling 235–237 (1998) 180
Glass Transition, Neutron Quasielastic Scattering 235–237 (1998) 190
Glass Transition, Relaxation 235–237 (1998) 268
Mode Coupling, Supercooled Liquids 235–237 (1998) 254
Polymer Solutions, Surface Properties 235–237 (1998) 464
Polymers 235–237 (1998) 652

Liquids
Dynamical Properties, Orientational Correlation 235–237 (1998) 121
Neutron Quasielastic Scattering 235–237 (1998) 229

Magnetic Properties
Particles, Relaxation 235–237 (1998) 133

Mechanical Properties
Rheology, Thin Films 235–237 (1998) 422

Mechanical Relaxation
Amorphous Polymers, Glass Transition 235–237 (1998) 628
Creep, Polymer Dynamics 235–237 (1998) 584
Glass Transition, Polymer Dynamics, Polymer Network 235–237 (1998) 470
Modelling, Polymer Dynamics 235–237 (1998) 416
Polymer Network 235–237 (1998) 600
Polymers 235–237 (1998) 670
Polymers 235–237 (1998) 737

Metallic Glasses
Annealing Effects 235–237 (1998) 793
Differential Scanning Calorimetry 235–237 (1998) 789
Structural Relaxation 235–237 (1998) 796

Microemulsions
Dielectric Relaxation 235–237 (1998) 704
Monte Carlo Simulations 235–237 (1998) 688

Mixed-Alkali Effect
Silicates 235–237 (1998) 766

Mobility
Glass Transition 235–237 (1998) 286

Mode Coupling
Glass Transition, Light Scattering 235–237 (1998) 180
Glass Transition 235–237 (1998) 57
Glass Transition, Structural Relaxation 235–237 (1998) 71
Glass-forming Viscous Liquids, Structural Relaxation 235–237 (1998) 66
Light Scattering, Supercooled Liquids 235–237 (1998) 254
235–237 (1998) 128
Molecular Dynamics Simulation 235–237 (1998) 325
Molecular Dynamics Simulation, Molecular Liquids 235–237 (1998) 106
Polymer Dynamics 235–237 (1998) 101
Supercooled Liquids 235–237 (1998) 150

Modelling
Disordered Crystals 235–237 (1998) 570
Growth Kinetics 235–237 (1998) 164
Mechanical Relaxation, Polymer Dynamics 235–237 (1998) 416

Molecular Dynamics Simulation
Amorphous Polymers 235–237 (1998) 340
Amorphous Polymers, Structural Relaxation 235–237 (1998) 308
Dielectric Properties, Polymer Dynamics 235–237 (1998) 353
Dynamic Structure, Glass Transition 235–237 (1998) 314
Glass Transition 235–237 (1998) 335
Glass Transition, Supercooled Liquids 235–237 (1998) 19
Hopping, Supercooled Liquids 235–237 (1998) 331
Mode Coupling 235–237 (1998) 325
Mode Coupling, Molecular Liquids 235–237 (1998) 106
Phonons, Silica 235–237 (1998) 320
Rheology, Supercooled Liquids 235–237 (1998) 34

Molecular Liquids
Mode Coupling, Molecular Dynamics Simulation 235–237 (1998) 106

Monte Carlo Simulations
Diffusion, Polymer Electrolyte 235–237 (1998) 748
Fullerenes, Glass Transition 235–237 (1998) 362
Microemulsions 235–237 (1998) 688
Polymer Dynamics, Polymer Network, Rheology 235–237 (1998) 612
Polymers, Rheology 235–237 (1998) 731

Neutron Diffraction
Pressure Effects, Structure 235–237 (1998) 367

Neutron Inelastic Scattering
Amorphous Polymers, Glass Transition 235–237 (1998) 203
Amorphous Polymers, Heat Capacity 235–237 (1998) 250
Brillouin Scattering, Polymers 235–237 (1998) 375

Neutron Quasielastic Scattering
Amorphous Polymers, Fragility, Structural Relaxation 235–237 (1998) 212
Dielectric Relaxation, Polymer Dynamics 235–237 (1998) 169
Glass Transition, Light Scattering 235–237 (1998) 190
Glass Transition, Oxide Melts 235–237 (1998) 244
Liquids 235–237 (1998) 229
Polymer Blends 235–237 (1998) 233

Nuclear Magnetic Resonance
Dielectric Relaxation, Structural Relaxation, Supercooled Liquids 235–237 (1998) 1
Glass Transition, Glassy Polymers 235–237 (1998) 27

Nuclear Spin Relaxation
Electrical Properties and Relaxation, Ionic Conductivity 235–237 (1998) 753

Nucleation
Crystallization 235–237 (1998) 539

Orientational Correlation
Dynamical Properties, Liquids 235–237 (1998) 121

Orientational Glasses
Differential Scanning Calorimetry, X-ray Diffraction 235–237 (1998) 559

Oxide Melts
Glass Transition, Neutron Quasielastic Scattering 235–237 (1998) 244

Particles
Magnetic Properties, Relaxation 235–237 (1998) 133

Phase Separation
Copolymers, Pressure-Induced Structural Transformation 235–237 (1998) 491

Phase Transition
Ceramics, Dielectric Relaxation 235–237 (1998) 567

Phonons
Molecular Dynamics Simulation, Silica 235–237 (1998) 320

Photoinduced Effects
Chalcogenide Glasses, Two-Level System 235–237 (1998) 275

Physical Aging
Differential Scanning Calorimetry, Enthalpy Relaxation 235–237 (1998) 596

Polymer Blends
Dielectric Relaxation, Polymer Dynamics 235–237 (1998) 412
Neutron Quasielastic Scattering 235–237 (1998) 233

Polymer Dynamics
Amorphous Polymers, Ultrasonic Relaxation 235–237 (1998) 664
Creep, Mechanical Relaxation 235–237 (1998) 584
Dielectric Properties, Molecular Dynamics Simulation 235–237 (1998) 353
Dielectric Relaxation, Neutron Quasielastic Scattering 235–237 (1998) 169
Dielectric Relaxation, Polymer Blends 235–237 (1998) 412
Dielectric Relaxation 235–237 (1998) 450
Dielectric Relaxation 235–237 (1998) 485
Dielectric Relaxation 235–237 (1998) 677
Differential Scanning Calorimetry, Glass Transition 235–237 (1998) 476
Differential Scanning Calorimetry, Glass Transition 235–237 (1998) 496
Diffusion 235–237 (1998) 640
Fragility, Free Volume 235–237 (1998) 293
Glass Transition, Mechanical Relaxation, Polymer Network 235–237 (1998) 470
Mechanical Relaxation, Modelling 235–237 (1998) 416
Mode Coupling 235–237 (1998) 101
Monte Carlo Simulations, Polymer Network, Rheology 235–237 (1998) 612
Polymer Melt, Rheology 235–237 (1998) 709
Thin Films 235–237 (1998) 457

Polymer Electrolyte
Diffusion, Monte Carlo Simulations 235–237 (1998) 748
Fragility, Specific Heat 235–237 (1998) 697

Polymer Melt
Polymer Dynamics, Rheology 235–237 (1998) 709

Polymer Network
Dielectric Relaxation, Glass Transition 235–237 (1998) 576
Dielectric Relaxation 235–237 (1998) 587
Differential Scanning Calorimetry 235–237 (1998) 504
Glass Transition, Mechanical Relaxation, Polymer Dynamics 235–237 (1998) 470
Mechanical Relaxation 235–237 (1998) 600
Monte Carlo Simulations, Polymer Dynamics, Rheology 235–237 (1998) 612
Thermal Stimulated Depolarization Current 235–237 (1998) 692
Thermal Stimulated Depolarization Current 235–237 (1998) 692

Polymer Solutions
Light Scattering, Surface Properties 235–237 (1998) 464
Polymers 235–237 (1998) 619
Rheology 235–237 (1998) 717

Polymers
Brillouin Scattering, Neutron Inelastic Scattering 235–237 (1998) 375
Conductivity 235–237 (1998) 772
Crystallization 235–237 (1998) 554
Dielectric Relaxation, Glass Transition 235–237 (1998) 658
Light Scattering 235–237 (1998) 652
Mechanical Relaxation 235–237 (1998) 670
Mechanical Relaxation 235–237 (1998) 737
Monte Carlo Simulations, Rheology 235–237 (1998) 731
Polymer Solutions 235–237 (1998) 619

Porosity
Borosilicates, Dielectric Relaxation 235–237 (1998) 302

Positron Annihilation
Amorphous Polymers, Small Angle X-ray Scattering 235–237 (1998) 383

Pressure Effects
Neutron Diffraction, Structure 235–237 (1998) 367

Pressure-Induced Structural Transformation
Copolymers, Phase Separation 235–237 (1998) 491

Relaxation
Dielectric Relaxation 235–237 (1998) 160
Glass Transition, Light Scattering 235–237 (1998) 268
Glass Transition 235–237 (1998) 196
Ice, Structure 235–237 (1998) 349
Magnetic Properties, Particles 235–237 (1998) 133

Rheology
Biopolymer, Copolymers 235–237 (1998) 605
Glassy Polymers 235–237 (1998) 723
Mechanical Properties, Thin Films 235–237 (1998) 422
Molecular Dynamics Simulation, Supercooled Liquids 235–237 (1998) 34
Monte Carlo Simulations, Polymer Dynamics, Polymer Network 235–237 (1998) 612
Monte Carlo Simulations, Polymers 235–237 (1998) 731
Polymer Dynamics, Polymer Melt 235–237 (1998) 709
Polymer Solutions 235–237 (1998) 717

Rigidity Percolation
Alkali Silicate Glasses, Fictive Temperature 235–237 (1998) 388

Silica
Molecular Dynamics Simulation, Phonons 235–237 (1998) 320

Silicates
Mixed-Alkali Effect 235–237 (1998) 766

Small Angle X-ray Scattering
Amorphous Polymers, Positron Annihilation 235–237 (1998) 383

Sol–Gel Processes
Gels, Light Scattering 235–237 (1998) 682

Specific Heat
Fragility, Polymer Electrolyte 235–237 (1998) 697
Structural Relaxation, Supercooled Liquids 235–237 (1998) 296

Structural Relaxation
Amorphous Polymers, Fragility, Neutron Quasielastic Scattering 235–237 (1998) 212
Amorphous Polymers, Molecular Dynamics Simulation 235–237 (1998) 308
Amorphous Polymers, Thermal Stimulated Depolarization Current 235–237 (1998) 645
Dielectric Relaxation, Nuclear Magnetic Resonance, Supercooled Liquids 235–237 (1998) 1
Glass Transition, Mode Coupling 235–237 (1998) 71
Glass Transition, Viscosity 235–237 (1998) 527
Glass-forming Viscous Liquids, Mode Coupling 235–237 (1998) 66
Metallic Glasses 235–237 (1998) 796
Specific Heat, Supercooled Liquids 235–237 (1998) 296

Structure
Ice, Relaxation 235–237 (1998) 349
Neutron Diffraction, Pressure Effects 235–237 (1998) 367

Supercooled Liquids
Dielectric Relaxation, Glass Transition 235–237 (1998) 406
Dielectric Relaxation, Glass Transition 235–237 (1998) 444
Dielectric Relaxation, Glass-forming Viscous Liquids 235–237 (1998) 393
Dielectric Relaxation, Nuclear Magnetic Resonance, Structural Relaxation 235–237 (1998) 1
Diffusion, Electron Spin Resonance 235–237 (1998) 219
Enthalpy Relaxation 235–237 (1998) 517
Glass Transition, Molecular Dynamics Simulation 235–237 (1998) 19
Glass Transition 235–237 (1998) 115
Glass Transition 235–237 (1998) 399
Glass-forming Viscous Liquids 235–237 (1998) 86
Hopping, Molecular Dynamics Simulation 235–237 (1998) 331
Light Scattering, Mode Coupling 235–237 (1998) 254
Mode Coupling 235–237 (1998) 150
Molecular Dynamics Simulation, Rheology 235–237 (1998) 34
Specific Heat, Structural Relaxation 235–237 (1998) 296

Surface Properties
Light Scattering, Polymer Solutions 235–237 (1998) 464

Theory
Dielectric Relaxation 235–237 (1998) 154

Thermal Stimulated Depolarization Current
Amorphous Polymers, Structural Relaxation 235–237 (1998) 645
Polymer Network 235–237 (1998) 692

Thin Films
Glass Transition 235–237 (1998) 435
Mechanical Properties, Rheology 235–237 (1998) 422

Two-Level System
Chalcogenide Glasses, Photoinduced Effects 235–237 (1998) 275

Ultrasonic Relaxation
Amorphous Polymers, Polymer Dynamics 235–237 (1998) 664

Viscosity
Glass Transition, Structural Relaxation 235–237 (1998) 527

X-ray Diffraction
Crystallization, Dielectric Relaxation 235–237 (1998) 534
Differential Scanning Calorimetry, Orientational Glasses 235–237 (1998) 559